

**To:** Smith, Bonnie[smith.bonnie@epa.gov]  
**From:** Henry, Ray  
**Sent:** Fri 1/10/2014 8:25:25 PM  
**Subject:** Please call me

Bonnie,

Good afternoon. I'm a reporter at the AP assisting my colleagues in WV on the chemical spill. Is there anyone in Region III who can give us a rundown on the structure of the facility? I know you're working with WVDEP, and I've contacted them. Wanted to see if there's someone who can give a rundown from the region's perspective.

Seems like this facility doesn't fit neatly into any regulatory bucket – no discharge water or air permits, etc. No major OSHA action. I'm guessing wasn't routinely inspected for lack of jurisdiction. Willing to talk not-for-attribution.

RH

Ray Henry | Associated Press | Office: 404-522-8971 | Cell: 404-308-9916 | rhenry@ap.org

The information contained in this communication is intended for the use of the designated recipients named above. If the reader of this communication is not the intended recipient, you are hereby notified that you have received this communication in error, and that any review, dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify The Associated Press immediately by telephone at +1-212-621-1898 and delete this email. Thank you.

[IP\_US\_DISC]

msk dccc60c6d2c3a6438f0cf467d9a4938